



THIS LAYOUT IS INDICATIVE ONLY.  
CONSULT SPACIAL CONCEPTS FOR  
OBLIGATION FREE DESIGN HELP.

Number of Panels	Typical = Opening Width Divided by 1200 (round up)
Panel Width	Typical = Opening width divided by Number of Panels.
Panel Thickness (inc 5mm clearance)	Typical = 100 Series                    105mm Typical = 100 Series Overlay        120mm
Clearance Depth	$D = \text{Number of Panels by Thickness} + 50\text{mm ( safety )}$
Depth of Nibs	$N = D + \text{cupboard doors, jambs, flap \& hardware.}$
Clearance Width	$W = \text{Panel Width} + 2 \times 100\text{mm clearances.}$
Track Junction	T = Usually 150 - 250mm depending on design



SPACIAL CONCEPTS  
A DIVISION OF ALUMINIUM  
INDUSTRIES OF AUSTRALIA  
3/26 RADLEY STREET  
VIRGINIA QLD 4014  
TEL: (07) 3885 5888  
SPACIALCONCEPTS.com.au

PRODUCT  
SPACIAL CONCEPTS OPERABLE WALL SYSTEM

PRIVATE & CONFIDENTIAL THIS DRAWING AND THE INFORMATION IT CONTAINS ARE THE EXCLUSIVE PROPERTY OF ALUMINIUM INDUSTRIES OF AUSTRALIA PTY LTD. UNAUTHORISED REPRODUCTION EITHER IN PART OR IN FULL, IS STRICTLY PROHIBITED WITHOUT PRIOR WRITTEN CONSENT FROM ALUMINIUM INDUSTRIES OF AUSTRALIA PTY LTD.

DESCRIPTION  
REMOTE STACK - CUPBOARD LAYOUT

DRAWING NO. SC9622	REV. A	SCALE N/A	DRAWN BY PE	DATE 26-04-25
-----------------------	-----------	--------------	----------------	------------------